

VIA FACSIMILE TRANSMISSION 1-571-273-8300

PATENT
AT DOCKET NO.: 20973-12

IN THE CLAIMS:

1-38 (Cancelled)

39. (Currently Amended) The device of claim ~~38~~ 88, further comprising at least one of a strap and a head mount coupled to said first and second noise reduction devices to retain said first and second noise reduction devices on the head of the user.

40. (Currently Amended) The system of claim ~~38~~ 88, wherein the sporting event is an auto race and said selected image signal defines an image produced by a camera positioned within a vehicle participating in ~~said~~ the auto race.

41. (Currently Amended) The device of claim ~~38~~ 88, wherein the sporting event is an auto race and said selected audio signal defines a communication by a driver of a vehicle in ~~an~~ the auto race.

42. (Currently Amended) The device of claim ~~38~~ 88, wherein at least one of said selected audio and image signals are modulated, further comprising a demodulator demodulating at least one modulated selected audio and image signal.

43. (Currently Amended) The device of claim ~~38~~ 88, wherein said receiver receives a combined audio and image signal from the transmitter.

44. (Currently Amended) The device of claim ~~38~~ 88, wherein said receiver, user interface and display are commonly is housed in a portable hand-held unit configured to receive said audio and image signals while at ~~or away from a stadium where the sporting event is occurring~~, thereby permitting the user to carry said receiver about the stadium and choose where to view said selected image signal and listen to said selected audio signal while roaming at the stadium during the sporting event.

45. (Cancelled)

VIA FACSIMILE TRANSMISSION 1-571-273-8300

PATENT
AT DOCKET NO.: 20973-12

46. (Currently Amended) The device of claim-~~38~~ 88, wherein said first and second noise reduction devices cover the users ears to reduce an amount of external noise heard by the user.

47. (Currently Amended) The device of claim-~~38~~ 88, further comprising a head mount, said head mount and said first and second noise reduction devices having ridges and notches joining one another to selectively resist movement of said first and second noise reduction devices with respect to said head mount.

48. (Currently Amended) The device of claim-~~38~~ 88, wherein the sporting event is an auto race and at least a portion of said plurality of audio signals define different sounds associated with the auto race.

49. (Currently Amended) The device of claim-~~38~~ 88, wherein the sporting event is an auto race and at least one of said audio signals defines at least one of noise from vehicles participating in the auto race, comments of commentators and comments between a driver and the driver's pit crew.

50. (Currently Amended) The device of claim-~~38~~ 88, wherein the sporting event is an auto race and at least a portion of said plurality of image signals define video images of the auto race.

51. (Currently Amended) The device of claim-~~38~~ 88, wherein said receiver includes a demodulator configured to demodulate and separate said image signals based on frequency.

52. (Currently Amended) The device of claim-~~38~~ 88, wherein said receiver includes a multiplexer configured to select one of said image signals based on the input from the user.

53. (Currently Amended) The device of claim-~~38~~ 88, wherein said display and said first and second ~~attenuation~~ noise reduction devices are mounted on a head mounted apparatus.

54. (Currently Amended) The device of claim-~~38~~ 88, wherein said display is head mounted in a manner to limit the user's peripheral view of the surrounding environment.

VIA FACSIMILE TRANSMISSION 1-571-273-8300

PATENT
AT DOCKET NO.: 20973-12

55. (Currently Amended) The device of claim 3888, wherein said image signals are separately transmitted to said receiver.

56. (Currently Amended) The device of claim 3888, wherein said audio signals are separately transmitted to said receiver.

57. (Currently Amended) The device of claim 3888, wherein said receiver includes a filter configured to output said selected image signal.

58. (Currently Amended) The device of claim 3888, wherein said receiver includes a filter configured to output said selected audio signal.

59. (Cancelled)

60. (Currently Amended) The system of claim 5989, further comprising at least one of a strap and a head mount coupled to said first and second noise reduction devices to retain said first and second noise reduction devices on the head of the user.

61. (Currently Amended) The system of claim 5989, further comprising a second speaker coupled to said second noise reduction device and configured to produce sounds defined by said selected audio signal.

62. (Currently Amended) The system of claim 5989, wherein the sporting event is an auto race and said selected image signal defines at least one image produced by a camera positioned within a vehicle participating in the auto race.

63. (Currently Amended) The system of claim 5989, wherein the sporting event is an auto race and said selected audio signal defines a communication by a driver of a vehicle in an the auto race.

64. (Currently Amended) The system of claim 5989, further comprising a head mount, said first noise reduction device includes a first slot adapted to receive said head mount, said first slot defined by a wall of said first noise reduction device, said wall of said first noise

VIA FACSIMILE TRANSMISSION 1-571-273-8300

PATENT
AT DOCKET NO.: 20973-12

reduction device including a series of first notches, said head mount having a first ridge that is sequentially received by said first notches as said head mount passes through said first slot.

65. (Currently Amended) The system of claim ~~5989~~, wherein said receiver, user interface and display are commonly is housed in a portable hand-held unit configured to receive said audio and image signals while at or away from a stadium where the sporting event is occurring, thereby permitting the user to carry said receiver about the stadium and choose where to view said selected image signal and listen to said selected audio signal while roaming about the stadium during the sporting event.

66. (Cancelled)

67. (Currently Amended) The ~~device~~ system of claim ~~5989~~, wherein said first and second noise reduction devices cover the users ears to reduce an amount of external noise heard by the user.

68. (Currently Amended) The ~~device~~ system of claim ~~5989~~, further comprising a head mount, said head mount and said first and second noise reduction devices having ridges and notches joining one another to resist movement of said first and second noise reduction devices with respect to said head mount.

69. (Currently Amended) The ~~device~~ system of claim ~~5989~~, wherein the sporting event is an auto race and at least a portion of said plurality of audio signals define different sounds associated with the auto race.

70. (Currently Amended) The ~~device~~ system of claim ~~5989~~, wherein the sporting event is an auto race and at least one of said audio signals defines at least one of noise from vehicles participating in the race, comments of commentators and comments between a driver and the driver's pit crew.

71. (Currently Amended) The ~~device~~ system of claim ~~5989~~, wherein the sporting event is an auto race and at least a portion of said plurality of image signals define video images of the auto race.

VIA FACSIMILE TRANSMISSION 1-571-273-8300

PATENT
AT DOCKET NO.: 20973-12

72. (Currently Amended) The ~~device~~- system of claim 5989, wherein said receiver includes a demodulator configured to demodulate and separate said image signals based on frequency.

73. (Currently Amended) The ~~device~~- system of claim 5989, wherein said receiver includes a multiplexer configured to select one of said image signals based on the input from the user.

74. (Currently Amended) The ~~device~~- system of claim 5989, wherein said display and said first and second ~~attenuation~~ noise reduction devices are mounted on a head mounted apparatus.

75. (Currently Amended) The ~~device~~- system of claim 5989, wherein said display is head mounted in a manner to limit the user's peripheral view of the surrounding environment.

76. (Currently Amended) The ~~device~~- system of claim 5989, wherein said image signals are separately transmitted to said receiver.

77. (Currently Amended) The ~~device~~- system of claim 5989, wherein said audio signals are separately transmitted to said receiver.

78. (Currently Amended) The ~~device~~- system of claim 5989, wherein said receiver includes a filter configured to output said selected image signal.

79. (Currently Amended) The ~~device~~- system of claim 5989, wherein said receiver includes a filter configured to output said selected audio signal.

80. (New) The system of claim 89, wherein at least one of the image signals constitutes a dedicated individual camera view from a single camera located at the sporting event, said user interface selecting the image signal from the single camera and the display displaying the dedicated individual camera view continuously and uninterrupted until the user selects another one of the image signals.

VIA FACSIMILE TRANSMISSION 1-571-273-8300

PATENT
AT DOCKET NO.: 20973-12

81. (New) The system of claim 89, wherein each of the plurality of image signals constitute dedicated individual camera views from separate cameras located about the sporting event, said user interface selecting one of the cameras and the display displaying the corresponding dedicated individual camera view continuously and uninterrupted until the user selects another one of the individual camera views.

82. (New) The system of claim 89, wherein the selected image signal displayed corresponds to an individual camera view from a single camera that is not controlled or selected by a television crew.

83. (New) The system of claim 89, wherein at least one of the image signals selected by the user is not a television network signal.

84. (New) The system of claim 89, wherein one of the image signals selected by the user correspond to a television network signal and at least one of the image signals selected by the user does not correspond to a television network signal.

85. (New) The system of claim 89, wherein said user interface allows the user to control and switch between the image signals separately and independent of television network signals.

86. (New) The device of claim 88, wherein the selected image signal is a video image signal.

87. (New) The system of claim 89, wherein the selected image signal is a video image signal.

88. (New) A portable audio/visual device to be used at a sporting event by a user while watching the sporting event live, the device comprising:

a receiver to be carried by the user while at the sporting event, the receiver receiving a plurality of image signals associated with the sporting event and a plurality of audio signals associated with the sporting event, said receiver being configured to receive said image and audio signals over a wireless transmission from a transmitter;

VIA FACSIMILE TRANSMISSION 1-571-273-8300

PATENT
AT DOCKET NO.: 20973-12

an user interface to be carried by the user while at the sporting event, the user interface communicating with said receiver for selecting at least one of said image signals and at least one of said audio signals based on an input from a user to produce selected audio and image signals, wherein said selected image signal defines an image produced by a camera positioned at the sporting event;

a display to be carried by the user while at the sporting event, the display communicating with said receiver, said display receiving said selected image signal and producing a visual image based on said selected image signal;

first and second noise reduction devices configured to be placed over the ears of a user;
and

a first speaker provided in said first noise reduction device, said first speaker producing sounds based on said selected audio signal.

89. (New) An audio/visual system for providing select combinations of audio and image signals, the system to be used at a sporting event by a user while watching the sporting event live, the system comprising:

an interface device receiving a plurality of image signals and a plurality of audio signals associated with a sporting event, said interface device wirelessly transmitting said audio and image signals, wherein at least one of said image signals defines an image produced by a camera positioned at the sporting event;

a receiver to be carried by the user while at the sporting event, the receiver wirelessly receiving said audio and image signals from the transmitter;

an user interface to be carried by the user while at the sporting event, the user interface communicating with said receiver for selecting at least one of said image signals and at least one of said audio signals to produce selected audio and image signals, wherein the selection is based on an input from an user;

VIA FACSIMILE TRANSMISSION 1-571-273-8300

PATENT
AT DOCKET NO.: 20973-12

a display to be carried by the user while at the sporting event, the display communicating with said receiver, said display receiving said selected image signal and producing a visual image defined by said selected image signal;

first and second noise reduction devices configured to be placed over the ears of a user;
and

a first speaker coupled to said first noise reduction device, said first speaker producing sounds defined by said selected audio signal.